



RoHS compliant
Small Form Pluggable (SFP+)
SFP+ CWDM 60KM Optical Transceivers

CL-SFP+_C60-51	10Gbps, 1510nm SFP+ER 60km, -5°C ~ +70°C
CL-SFP+_C60-53	10Gbps, 1530nm SFP+ER 60km, -5°C ~ +70°C
CL-SFP+_C60-55	10Gbps, 1550nm SFP+ER 60km, -5°C ~ +70°C
CL-SFP+_C60-57	10Gbps, 1570nm SFP+ER 60km, -5°C ~ +70°C
CL-SFP+_C60-59	10Gbps, 1590nm SFP+ER 60km, -5°C ~ +70°C
CL-SFP+_C60-61	10Gbps, 1610nm SFP+ER 60km, -5°C ~ +70°C

Eye Safety Mark

<p>The LS3 series single-mode transceiver is a class 1 laser product. It complies with EN 60825-1 and FDA 21 CFR 1040.10 and 1040.11. In order to meet laser safety requirements the transceiver shall be operated within the Absolute Maximum Ratings.</p> <p>Caution All adjustments have been done at the factory before the shipment of the devices. No maintenance and no serviceable part is required. Tampering with and modifying the performance of the device will result in voided product warranty.</p>	<p>Required Mark</p> <div style="border: 1px solid black; padding: 5px; text-align: center;"><p>Class 1 Laser Product Complies with 21 CFR 1040.10 and 1040.11</p></div>
--	---

Note : All information contained in this document is subject to change without notice.